



KEY WORDS

- ✓ Bee pollen
- ✓ Phenolic compounds
- ✓ Extraction
- ✓ Ohmic heating
- ✓ Ultrasonic
- ✓ Microwave
- ✓ Optimization

CONTACT

E-MAIL:
alpgiraycelik@gmail.com

THESIS SUPERVISOR

TELEPHONE:
0224 294 13 33

E-MAIL: soyutemiz@uludag.edu.tr



INVESTIGATION OF THE EFFECT OF OHMIC HEATING ASSISTED EXTRACTION METHOD ON BEE POLLEN BIOACTIVE COMPONENTS

Muhammed Alpgiray ÇELİK

0000-0001-5193-5293

BURSA ULUDAĞ UNIVERSITY

GRADUATE SCHOOL OF HEALTH SCIENCES

FOOD HYGIENE AND TECHNOLOGY DEPARTMENT

PhD PROGRAM

GRADUATION DATE: 19/11-2024

SUPERVISOR

Prof. Dr. Gül Ece SOYUTEMİZ

0000-0003-0128-5653

BURSA ULUDAĞ UNIVERSITY

GRADUATE SCHOOL OF HEALTH SCIENCES

FOOD HYGIENE AND TECHNOLOGY

DEPARTMENT

BURSA – TÜRKİYE



THESIS ABSTRACT

In this study conducted with bee pollen collected from different regions of Turkey, it was aimed to determine the regional differences in terms of bioactive components using traditional and innovative extraction methods. For this purpose, total phenolic, total flavonoid and antioxidant capacity contents of the samples and phenolic and flavonoid substance profiles were investigated using liquid chromatography tandem mass spectrometry (LC-MS/MS). Optimum extraction parameters were determined according to Box-Behnken experimental design by using surface response method in the extraction of bioactive components from bee pollen by ohmic heating. Bioactive components from bee pollen were also extracted by ultrasonic and microwave methods and their combinations with ohmic heating (ohmic assisted ultrasonic and ohmic assisted microwave) and all these methods were compared with the traditional extraction method of maceration and the differences were revealed.

APPLICATION AREAS OF THE THESIS RESULTS

The high phenolic and flavonoid content in bee pollen constitutes an important source for the development of food supplements and natural health products. Furthermore, the antioxidant capacity of these components can be utilised in the food industry to extend shelf life and increase nutritional value. Innovative extraction methods such as ohmic heating, ultrasonic and microwave, when integrated into industrial processes, provide less energy and time consumption for sustainable production and contribute to the efficient use of natural resources. In this way, an efficient extraction of bioactive components becomes possible.

ACADEMIC ACTIVITIES

Investigation of the Effect of Ohmic Heating Assisted Extraction Method on Bioactive Components of Bee Pollen - Bursa Uludağ University Scientific Research Project (Project No: TDK-2022-1051) - Doctoral Thesis Project - Thesis Student Researcher

Akpınar Bayzıt, A., Bekar, E., Unal, T. T., **Celik, M. A.**, Acoglu Celik, B., Koc Alibasoglu, E., ... & Kamiloglu, S. (2023). Investigating The Effect Of Harvest Season On The Bioaccessibility Of Bee Pollen Polyphenols By Ultra-High Performance Liquid Chromatography Tandem Mass Spectrometry. *European Food Research And Technology*, 249(10), 1-14.